

SI unit rules and style conventions

Checklist for reviewing manuscripts

#1 <input type="checkbox"/> GENERAL	Only units of the SI and those units recognized for use with the SI are used to express the values of quantities. Equivalent values in other units are given in parentheses following values in acceptable units only when deemed necessary for the intended audience.
#2 <input type="checkbox"/> ABBREVIATIONS	Abbreviations such as sec, cc, or mps are avoided and only standard unit symbols, prefix symbols, unit names, and prefix names are used. proper: s or second; cm ³ or cubic centimeter; m/s or meter per second improper: sec; cc; mps
#3 <input type="checkbox"/> PLURALS	Unit symbols are unaltered in the plural. proper: $l = 75$ cm improper: $l = 75$ cms
#4 <input type="checkbox"/> PUNCTUATION	Unit symbols are not followed by a period unless at the end of a sentence. proper: The length of the bar is 75 cm. The bar is 75 cm long. improper: The bar is 75 cm. long.
#5 <input type="checkbox"/> MULTIPLICATION & DIVISION	A space or half-high dot is used to signify the multiplication of units. A solidus (<i>i.e.</i> , slash), horizontal line, or negative exponent is used to signify the division of units. The solidus must not be repeated on the same line unless parentheses are used. proper: The speed of sound is about 344 m·s ⁻¹ (meters per second) The decay rate of ¹¹³ Cs is about 21 ms ⁻¹ (reciprocal milliseconds) m/s, m·s ⁻² , m·kg/(s ³ ·A), m·kg·s ⁻³ ·A ⁻¹ m/s, m s ⁻² , m kg/(s ³ A), m kg s ⁻³ A ⁻¹ improper: The speed of sound is about 344 ms ⁻¹ (reciprocal milliseconds) The decay rate of ¹¹³ Cs is about 21 m·s ⁻¹ (meters per second) m÷s, m/s/s, m·kg/s ³ /A
#6 <input type="checkbox"/> TYPEFACE	Variables and quantity symbols are in italic type. Unit symbols are in roman type. Numbers should generally be written in roman type. These rules apply irrespective of the typeface used in the surrounding text. proper: She exclaimed, “ <i>That dog weighs</i> 10 kg!” $t = 3$ s, where t is time and s is second $T = 22$ K, where T is thermodynamic temperature, and K is kelvin improper: He exclaimed, “ <i>That dog weighs</i> 10 kg!” $t = 3$ s, where t is time and s is second $T = 22$ K, where T is thermodynamic temperature, and K is kelvin

#7 **TYPEFACE**

Superscripts and subscripts are in italic type if they represent variables, quantities, or running numbers. They are in roman type if they are descriptive.

quantities are italic: c_p , specific heat capacity at constant pressure

running numbers are italic: $x = \bar{X} = \frac{1}{n} \sum_{i=1}^n X_i$

descriptors are roman: m_p , mass of a proton

#8 **ABBREVIATIONS**

The combinations of letters “ppm,” “ppb,” and “ppt,” and the terms part per million, part per billion, and part per trillion, and the like, are not used to express the values of quantities.

proper: 2.0 $\mu\text{L/L}$; $2.0 \times 10^{-6} V$;
4.3 nm/m ; $4.3 \times 10^{-9} l$;
7 ps/s ; $7 \times 10^{-12} t$,

where V , l , and t are the quantity symbols for volume, length, and time.

improper: “ppm,” “ppb,” and “ppt,” and the terms part per million, part per billion, and part per trillion, and the like

#9 **UNIT
MODIFICATIONS**

Unit symbols (or names) are not modified by the addition of subscripts or other information. The following forms, for example, are used instead.

#10 **PERCENT**

The symbol % is used to represent simply the number 0.01.

proper: $l_1 = l_2(1 + 0.2 \%)$, or
 $D = 0.2 \%$,

where D is defined by the relation $D = (l_1 + l_2)/l_2$.

improper: The length l_1 exceeds the length l_2 by 0.2 %.

#11 **INFORMATION
& UNITS**

Information is not mixed with unit symbols or names.

proper: the water content is 20 mL/kg

improper: 20 mL H_2O / kg
20 mL of water/ kg

#12 **MATH NOTATION** It is clear to which unit symbol a numerical value belongs and which mathematical operation applies to the value of a quantity.

proper: 35 cm x 48 cm
1 MHz to 10 MHz or (1 to 10) MHz
20 °C to 30 °C or (20 to 30) °C
123 g ± 2 g or (123 ± 2) g
70 % ± 5 % or (70 ± 5) %
240 x (1 ± 10 %) V

improper: 35 x 48 cm
1 MHz–10 MHz or 1 to 10 MHz
20 °C–30 °C or 20 to 30 °C
123 ± 2 g
70 ± 5 %
240 V ± 10 % (one cannot add 240 V and 10 %)

#13 **UNIT SYMBOLS & NAMES** Unit symbols and unit names are not mixed and mathematical operations are not applied to unit names.

proper: kg/m³, kg · m⁻³, or kilogram per cubic meter
improper: kilogram/m³, kg/cubic meter, kilogram/cubic meter, kg per m³, or kilogram per meter³.

#14 **NUMERALS & UNIT SYMBOLS** Values of quantities are expressed in acceptable units using Arabic numerals and symbols for units.

proper: m = 5 kg
the current was 15 A
improper: m = five kilograms
m = five kg
the current was 15 amperes

#15 **UNIT SPACING** There is a space between the numerical value and unit symbol, even when the value is used in an adjectival sense, except in the case of superscript units for plane angle.

proper: a 25 kg sphere
an angle of 2° 3' 4"
If the spelled-out name of a unit is used, the normal rules of English apply: "a roll of 35-millimeter film."
improper: a 25-kg sphere
an angle of 2 ° 3 ' 4 "

#16 **DIGIT SPACING** The digits of numerical values having more than four digits on either side of the decimal marker are separated into groups of three using a thin, fixed space counting from both the left and right of the decimal marker. Commas are not used to separate digits into groups of three.

proper: 15 739.012 53
improper: 15739.01253
15,739.012 53

#17 <input type="checkbox"/> QUANTITY EQUATIONS	<p>Equations between quantities are used in preference to equations between numerical values, and symbols representing numerical values are different from symbols representing the corresponding quantities. When a numerical-value equation is used, it is properly written and the corresponding quantity equation is given where possible.</p> <p style="padding-left: 40px;">proper: $(l/m) = 3.6^{-1} [v(\text{km/h})](t/s)$</p> <p style="padding-left: 40px;">improper: $l = 3.6^{-1} vt$, accompanied by text saying, “where l is in meters, v is in kilometers per second, and t is in seconds”</p>
#18 <input type="checkbox"/> STANDARD SYMBOLS	<p>Standardized quantity symbols are used. Similarly, standardized mathematical signs and symbols are used. More specifically, the base of “log” in equations is specified when required by writing $\log_a x$ (meaning log to the base a of x), $\text{lb } x$ (meaning $\log_2 x$), $\ln x$ (meaning $\log_e x$), or $\lg x$ (meaning $\log_{10} x$).</p> <p style="padding-left: 40px;">proper: $\tan x$ R for resistance A_r for relative atomic mass</p> <p style="padding-left: 40px;">improper: $\text{tg } x$ for tangent of x words, acronyms, or ad hoc groups of letters</p>
#19 <input type="checkbox"/> WEIGHT VS. MASS	<p>When the word “weight” is used, the intended meaning is clear. (In science and technology, weight is a force, for which the SI unit is the newton; in commerce and everyday use, weight is usually a synonym for mass, for which the SI unit is the kilogram.)</p>
#20 <input type="checkbox"/> QUOTIENT QUANTITY	<p>A quotient quantity is written explicitly.</p> <p style="padding-left: 40px;">proper: mass divided by volume</p> <p style="padding-left: 40px;">improper: mass per unit volume</p>
#21 <input type="checkbox"/> OBJECT & QUANTITY	<p>An object and any quantity describing the object are distinguished. (Note the difference between “surface” and “area,” “body” and “mass,” “resistor” and “resistance,” “coil” and “inductance.”)</p> <p style="padding-left: 40px;">proper: A body of mass 5 g</p> <p style="padding-left: 40px;">improper: A mass of 5 g</p>
#22 <input type="checkbox"/> OBSOLETE TERMS	<p>The obsolete terms molarity, normality, and molal are not used.</p> <p style="padding-left: 40px;">proper: amount-of-substance concentration of B (more commonly called concentration of B) and its symbol c_B and SI unit mol/m^3 (or a related acceptable unit) molality of solute B, and its symbol b_B or m_B and SI unit mol/kg (or a related unit of the SI)</p> <p style="padding-left: 40px;">improper: Molarity and the symbol M, normality and the symbol N molal and the symbol m</p>